

Author index to volume 226

- Adhikari, S., New propagator schemes for explicitly time-dependent hamiltonians: applications to the multiphoton dissociation dynamics of diatoms and quantum adiabatic processes 226 (1998) 25
- Aguillon, F., see Sizun, M. 226 (1998) 47
- Azumi, T., see Tarasov, V.F. 226 (1998) 251
- Benetis, N.P., see Sørnes, A.R. 226 (1998) 151
- Besnard, M., see Tassaing, T. 226 (1998) 71
- Borrás-Almenar, J.J., E. Coronado, A.V. Palii, B.S. Tsukerblat and R. Georges, Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations 226 (1998) 231
- Brenner, H.C., see Tringali, A.E. 226 (1998) 187
- Chuang, T.J., see Lagutchev, A.S. 226 (1998) 335
- Coronado, E., see Borrás-Almenar, J.J. 226 (1998) 231
- Cousson, A., see Nicolai, B. 226 (1998) 1
- Dakkouri, M., see Durig, J.R. 226 (1998) 125
- Dargelos, A., see Pericou-Cayere, M. 226 (1998) 295
- Dogra, S.K., see Santra, S. 226 (1998) 229
- Dogra, S.K., see Santra, S. 226 (1998) 283
- Dong, H.-S., see Xiao, H.-M. 226 (1998) 15
- Donovan, R.J., A.C. Flexen, K.P. Lawley and T. Ridley, The (2 + 1) REMPI spectroscopy of jet-cooled Br₂ 226 (1998) 217
- Durig, J.R., S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev, Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane 226 (1998) 125
- Ehara, M., Y. Ohtsuka and H. Nakatsuji, Ionization spectra of XONO₂ (X = F, Cl, Br, I) studied by the SAC-CI method 226 (1998) 113
- Fan, J.-F., see Xiao, H.-M. 226 (1998) 15
- Fillaux, F., see Nicolai, B. 226 (1998) 1
- Flexen, A.C., see Donovan, R.J. 226 (1998) 217
- Fursman, C.E., see Timmel, C.R. 226 (1998) 269
- Georges, R., see Borrás-Almenar, J.J. 226 (1998) 231
- Gounev, T.K., see Durig, J.R. 226 (1998) 125

- Grunvogel-Hurst, A., see Durig, J.R. 226 (1998) 125
 Gu, Z.-M., see Xiao, H.-M. 226 (1998) 15
- Hayes, M.A., see Holland, D.M.P. 226 (1998) 349
 Ho, G.H., Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV 226 (1998) 101
 Hoff, A.J., see Timmel, C.R. 226 (1998) 269
 Holland, D.M.P., M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg, The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride 226 (1998) 349
 Hore, P.J., see Timmel, C.R. 226 (1998) 269
 Huang, J.Y., see Lagutchev, A.S. 226 (1998) 335
 Hur, S.W., see Durig, J.R. 226 (1998) 125
- Joly, H.A. and L. Manceron, Complete vibrational spectrum of NiCO isolated in solid argon 226 (1998) 61
- Kaiser, E., see Nicolai, B. 226 (1998) 1
 Karlsson, L., see Holland, D.M.P. 226 (1998) 349
 Kearley, G.J., see Nicolai, B. 226 (1998) 1
 Klokishner, S., J. Linares and F. Varret, Influence of the Piepho-mode on charge ordering in mixed-valence biferrocenium salts. Mössbauer spectra 226 (1998) 171
- Lagutchev, A.S., K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang, Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy 226 (1998) 335
 Lawley, K.P., see Donovan, R.J. 226 (1998) 217
 Lenzi, M., E. Molinari and G. Picciacchia, Vibrational relaxation of SF_6 by the noble gases as measured by CO_2 -laser light attenuation in the presence of radial density profiles 226 (1998) 143
 Linares, J., see Klokishner, S. 226 (1998) 171
- MacDonald, M.A., see Holland, D.M.P. 226 (1998) 349
 Maeda, K., see Tarasov, V.F. 226 (1998) 251
 Malliaris, A., see Pistolis, G. 226 (1998) 83
 Manceron, L., see Joly, H.A. 226 (1998) 61
 Molinari, E., see Lenzi, M. 226 (1998) 143
- Nakatsuji, H., see Ehara, M. 226 (1998) 113
 Naumkin, F.Y., Single- versus multi-state DIM model for Rg X_2 systems: On the influence of spin-orbit coupling on Ar- I_2 potentials 226 (1998) 317
 Nicolai, B., E. Kaiser, F. Fillaux, G.J. Kearley, A. Cousson and W. Paulus, Inelastic neutron scattering study of methyl tunnelling in an oriented single-crystal of 2,6-dimethylpyrazine at low temperature and rotational-potential calculations 226 (1998) 1
 Novicki, S.W., see Vasudev, R. 226 (1998) 201
- Ohtsuka, Y., see Ehara, M. 226 (1998) 113
- Palii, A.V., see Borrás-Almenar, J.J. 226 (1998) 231
 Paulus, W., see Nicolai, B. 226 (1998) 1

- Pericou-Cayere, M., M. Rerat and A. Dargelos, Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 226 (1998) 295
- Piciacchia, G., see Lenzi, M. 226 (1998) 143
- Pistolis, G. and A. Malliaris, Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene 226 (1998) 83
- Rerat, M., see Pericou-Cayere, M. 226 (1998) 295
- Ridley, T., see Donovan, R.J. 226 (1998) 217
- Santra, S. and S.K. Dogra, Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole 226 (1998) 283
- Santra, S. and S.K. Dogra, Solvatochromism and prototropic reactions of 2-quinoxalinone. [Chem. Phys. 207 (1996) 103-113] 226 (1998) 229
- Shkrob, I.A., see Tarasov, V.F. 226 (1998) 251
- Sizun, M. and F. Aguilon, Theoretical study of the isotope effects in the non-adiabatic reaction of $Ar^+(J)$ with H_2 , D_2 , HD 226 (1998) 47
- Song, K.J., see Lagutchev, A.S. 226 (1998) 335
- Sørnes, A.R. and N.P. Benetis, The EPR spectrum of the general $>\dot{C}-CX_3$ quantum rotor 226 (1998) 151
- Tarasov, V.F., H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob, Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ^{31}P . Micellar size effects and the role of flip-flop transitions 226 (1998) 251
- Tassaing, T., M. Besnard and J. Yarwood, A mid infrared study of dynamic processes in iodine-pyridine charge transfer complexes 226 (1998) 71
- Timmel, C.R., C.E. Fursman, A.J. Hoff and P.J. Hore, Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy 226 (1998) 269
- Tringali, A.E. and H.C. Brenner, Spin-lattice relaxation and ODMR linenarrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices 226 (1998) 187
- Tsukerblat, B.S., see Borrás-Almenar, J.J. 226 (1998) 231
- Varret, F., see Klokishner, S. 226 (1998) 171
- Vasudev, R. and S.W. Novicki, SubDoppler polarization spectroscopy of OH ejected by vibrational state-selected *trans* HONO(\bar{A}^1A'): OH vector correlations, energy correlation between coincident OH,NO pairs, and energy transfer pathways 226 (1998) 201
- Wannberg, B., see Holland, D.M.P. 226 (1998) 349
- Xiao, H.-M., J.-F. Fan, Z.-M. Gu and H.-S. Dong, Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes 226 (1998) 15
- Xue, D. and S. Zhang, Bond-charge calculation of nonlinear optical susceptibilities of $LiXO_3$ type complex crystals 226 (1998) 305
- Yang, P.K., see Lagutchev, A.S. 226 (1998) 335
- Yarwood, J., see Tassaing, T. 226 (1998) 71
- Yashiro, H., see Tarasov, V.F. 226 (1998) 251
- Zhang, S., see Xue, D. 226 (1998) 305



ELSEVIER

Chemical Physics 226 (1998) 365–373

Chemical
Physics

Subject index to volume 226

Methods and constructs

Theoretical

Computational methods for electronic structure

- Inelastic neutron scattering study of methyl tunnelling in an oriented single-crystal of 2,6-dimethylpyrazine at low temperature and rotational–potential calculations, B. Nicolai, E. Kaiser, F. Fillaux, G.J. Kearley, A. Cousson and W. Paulus 226 (1998) 1
- Ionization spectra of $XONO_2$ ($X = F, Cl, Br, I$) studied by the SAC–CI method, M. Ehara, Y. Ohtsuka and H. Nakatsuji 226 (1998) 113
- Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations, J.J. Borrás-Almenar, E. Coronado, A.V. Pali, B.S. Tsukerblat and R. Georges 226 (1998) 231
- Single- versus multi-state DIM model for $Rg X_2$ systems: On the influence of spin–orbit coupling on $Ar-I_2$ potentials, F.Y. Naumkin 226 (1998) 317

-CI and valence bond approach

- Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125
- Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 , M. Pericou-Cayere, M. Rerat and A. Dargelos 226 (1998) 295

Semiempirical methods

- Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes, H.-M. Xiao, J.-F. Fan, Z.-M. Gu and H.-S. Dong 226 (1998) 15
- Vibrational relaxation of SF_6 by the noble gases as measured by CO_2 -laser light attenuation in the presence of radial density profiles, M. Lenzi, E. Molinari and G. Picciacchia 226 (1998) 143
- Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole, S. Santra and S.K. Dogra 226 (1998) 283
- Single- versus multi-state DIM model for $Rg X_2$ systems: On the influence of spin–orbit coupling on $Ar-I_2$ potentials, F.Y. Naumkin 226 (1998) 317

Relativistic electronic structure theory

- Single- versus multi-state DIM model for $Rg X_2$ systems: On the influence of spin–orbit coupling on $Ar-I_2$ potentials, F.Y. Naumkin 226 (1998) 317

Spin states and magnetic interactions

- The EPR spectrum of the general $\text{>}\dot{\text{C}}\text{-CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151
- Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations, J.J. Borrás-Almenar, E. Coronado, A.V. Pali, B.S. Tsukerblat and R. Georges 226 (1998) 231
- Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ^{31}P . Micellar size effects and the role of flip-flop transitions, V.F. Tarasov, H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob 226 (1998) 251
- Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy, C.R. Timmel, C.E. Fursman, A.J. Hoff and P.J. Hore 226 (1998) 269

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

- New propagator schemes for explicitly time-dependent hamiltonians: applications to the multiphoton dissociation dynamics of diatoms and quantum adiabatic processes, S. Adhikari 226 (1998) 25
- Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 , M. Pericou-Cayere, M. Rerat and A. Dargelos 226 (1998) 295
- Bond-charge calculation of nonlinear optical susceptibilities of LiXO_3 type complex crystals, D. Xue and S. Zhang 226 (1998) 305

Collisional and reactive molecular dynamics with non-frictional forces

- Theoretical study of the isotope effects in the non-adiabatic reaction of $\text{Ar}^+(J)$ with H_2 , D_2 , HD , M. Sizun and F. Aguillon 226 (1998) 47

Intramolecular dynamics

- The EPR spectrum of the general $\text{>}\dot{\text{C}}\text{-CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151

Theory of critical behavior

- Influence of the Piepho-mode on charge ordering in mixed-valence biferrocenium salts. Mössbauer spectra, S. Klokishner, J. Linares and F. Varret 226 (1998) 171

Experiment*Magnetic resonances*

- The EPR spectrum of the general $\text{>}\dot{\text{C}}\text{-CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151
- Spin-lattice relaxation and ODMR linewidth narrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices, A.E. Tringali and H.C. Brenner 226 (1998) 187
- Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ^{31}P . Micellar size effects and the role of flip-flop transitions, V.F. Tarasov, H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob 226 (1998) 251
- Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy, C.R. Timmel, C.E. Fursman, A.J. Hoff and P.J. Hore 226 (1998) 269

Molecular spectroscopy

- Complete vibrational spectrum of NiCO isolated in solid argon, H.A. Joly and L. Manceron 226 (1998) 61
- Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125

- SubDoppler polarization spectroscopy of OH ejected by vibrational state-selected *trans* HONO(\tilde{A}^1A''): OH vector correlations, energy correlation between coincident OH,NO pairs, and energy transfer pathways, R. Vasudev and S.W. Novicki 226 (1998) 201
- infrared*
- Complete vibrational spectrum of NiCO isolated in solid argon, H.A. Joly and L. Manceron 226 (1998) 61
- A mid infrared study of dynamic processes in iodine-pyridine charge transfer complexes, T. Tassaing, M. Besnard and J. Yarwood 226 (1998) 71
- Vibrational relaxation of SF₆ by the noble gases as measured by CO₂-laser light attenuation in the presence of radial density profiles, M. Lenzi, E. Molinari and G. Piciacchia 226 (1998) 143
- UV*
- Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene, G. Pistolis and A. Malliaris 226 (1998) 83
- Measurement of macroscopic variables*
- Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations, J.J. Borrás-Almenar, E. Coronado, A.V. Palii, B.S. Tsukerblat and R. Georges 226 (1998) 231
- Photon counting and phase fluorimetry*
- Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene, G. Pistolis and A. Malliaris 226 (1998) 83
- Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole, S. Santra and S.K. Dogra 226 (1998) 283
- Photoelectron and Auger spectroscopy*
- Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335
- The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg 226 (1998) 349
- Multiphoton ionization*
- The (2 + 1) REMPI spectroscopy of jet-cooled Br₂, R.J. Donovan, A.C. Flexen, K.P. Lawley and T. Ridley 226 (1998) 217
- Nonlinear optics and spectroscopy*
- Vibrational relaxation of SF₆ by the noble gases as measured by CO₂-laser light attenuation in the presence of radial density profiles, M. Lenzi, E. Molinari and G. Piciacchia 226 (1998) 143
- Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335
- Synchrotron spectroscopies*
- Absolute photoabsorption cross section of CCl₄ in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
- The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg 226 (1998) 349

Mössbauer spectroscopy

- Influence of the Piepho-mode on charge ordering in mixed-valence biferrocenium salts.
Mössbauer spectra, S. Klokishner, J. Linares and F. Varret 226 (1998) 171

Neutron scattering (inelastic and quasielastic)

- Inelastic neutron scattering study of methyl tunnelling in an oriented single-crystal of 2,6-dimethylpyrazine at low temperature and rotational-potential calculations, B. Nicolai, E. Kaiser, F. Fillaux, G.J. Kearley, A. Cousson and W. Paulus 226 (1998) 1

Objects**Bulk systems***Gases*

- Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125
Vibrational relaxation of SF_6 by the noble gases as measured by CO_2 -laser light attenuation in the presence of radial density profiles, M. Lenzi, E. Molinari and G. Picciacchia 226 (1998) 143

Liquid mixtures and solutions

- A mid infrared study of dynamic processes in iodine-pyridine charge transfer complexes, T. Tassaing, M. Besnard and J. Yarwood 226 (1998) 71
Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene, G. Pistolis and A. Malliaris 226 (1998) 83

Crystals

- Inelastic neutron scattering study of methyl tunnelling in an oriented single-crystal of 2,6-dimethylpyrazine at low temperature and rotational-potential calculations, B. Nicolai, E. Kaiser, F. Fillaux, G.J. Kearley, A. Cousson and W. Paulus 226 (1998) 1
Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125
Bond-charge calculation of nonlinear optical susceptibilities of LiXO_3 type complex crystals, D. Xue and S. Zhang 226 (1998) 305

-mixed

- Spin-lattice relaxation and ODMR linenarrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices, A.E. Tringali and H.C. Brenner 226 (1998) 187

Glasses

- Spin-lattice relaxation and ODMR linenarrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices, A.E. Tringali and H.C. Brenner 226 (1998) 187
Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335

*Complex fluids**-micelles*

- Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ^{31}P . Micellar size effects and the role of flip-flop transitions, V.F. Tarasov, H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob 226 (1998) 251

Thin films

- Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335

Biological systems

- Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy, C.R. Timmel, C.E. Fursman, A.J. Hoff and P.J. Hore 226 (1998) 269

Microscopic and mesoscopic systems*Molecules (neutral and ionic)*

- Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes, H.-M. Xiao, J.-F. Fan, Z.-M. Gu and H.-S. Dong 226 (1998) 15
- Ionization spectra of XONO_2 ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) studied by the SAC-Cl method, M. Ehara, Y. Ohtsuka and H. Nakatsuji 226 (1998) 113
- SubDoppler polarization spectroscopy of OH ejected by vibrational state-selected *trans* $\text{HONO}(\tilde{\text{A}}^1\text{A}')$: OH vector correlations, energy correlation between coincident OH,NO pairs, and energy transfer pathways, R. Vasudev and S.W. Novicki 226 (1998) 201

-diatomic

- New propagator schemes for explicitly time-dependent hamiltonians: applications to the multiphoton dissociation dynamics of diatoms and quantum adiabatic processes, S. Adhikari 226 (1998) 25
- Theoretical study of the isotope effects in the non-adiabatic reaction of $\text{Ar}^+(J)$ with $\text{H}_2, \text{D}_2, \text{HD}$, M. Sizun and F. Aguillon 226 (1998) 47
- The (2 + 1) REMPI spectroscopy of jet-cooled Br_2 , R.J. Donovan, A.C. Flexen, K.P. Lawley and T. Ridley 226 (1998) 217

-small polyatomics

- Complete vibrational spectrum of NiCO isolated in solid argon, H.A. Joly and L. Manceron 226 (1998) 61
- Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
- Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125
- Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 , M. Pericou-Cayere, M. Rerat and A. Dargelos 226 (1998) 295
- The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg 226 (1998) 349

-aromatics

- Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene, G. Pistolis and A. Malliaris 226 (1998) 83
- Spin-lattice relaxation and ODMR linewidth narrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices, A.E. Tringali and H.C. Brenner 226 (1998) 187

-other large

- Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335

Molecular aggregates

- Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations, J.J. Borrás-Almenar, E. Coronado, A.V. Pali, B.S. Tsukerblat and R. Georges 226 (1998) 231

-van der Waals molecules

- Single- versus multi-state DIM model for RgX₂ systems: On the influence of spin-orbit coupling on Ar-I₂ potentials, F.Y. Naumkin 226 (1998) 317

Free radicals (incl. hydronium and muonium)

- The EPR spectrum of the general $\dot{\text{C}}\text{-CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151
- Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ³¹P. Micellar size effects and the role of flip-flop transitions, V.F. Tarasov, H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob 226 (1998) 251
- Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy, C.R. Timmel, C.E. Fursman, A.J. Hoff and P.J. Hore 226 (1998) 269

Phenomena*Molecular structure*

- Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes, H.-M. Xiao, J.-F. Fan, Z.-M. Gu and H.-S. Dong 226 (1998) 15
- Complete vibrational spectrum of NiCO isolated in solid argon, H.A. Joly and L. Manceron 226 (1998) 61
- Infrared and Raman spectra, conformational stability, ab initio calculations, and vibrational assignments for cyclopropyldichlorosilane, J.R. Durig, S.W. Hur, M. Dakkouri, A. Grunvogel-Hurst and T.K. Gounev 226 (1998) 125

Vibrations and rotations of molecules

- Vibrational relaxation of SF₆ by the noble gases as measured by CO₂-laser light attenuation in the presence of radial density profiles, M. Lenzi, E. Molinari and G. Picciacchia 226 (1998) 143
- SubDoppler polarization spectroscopy of OH ejected by vibrational state-selected *trans* HONO(\bar{A}^1A'): OH vector correlations, energy correlation between coincident OH,NO pairs, and energy transfer pathways, R. Vasudev and S.W. Novicki 226 (1998) 201

Electronic structure and states

- Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes, H.-M. Xiao, J.-F. Fan, Z.-M. Gu and H.-S. Dong 226 (1998) 15
- Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
- Ionization spectra of XONO_2 ($X = \text{F}, \text{Cl}, \text{Br}, \text{I}$) studied by the SAC–CI method, M. Ehara, Y. Ohtsuka and H. Nakatsuji 226 (1998) 113
- Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 , M. Pericou-Cayere, M. Rerat and A. Dargelos 226 (1998) 295
- Single- versus multi-state DIM model for RgX_2 systems: On the influence of spin–orbit coupling on Ar-I_2 potentials, F.Y. Naumkin 226 (1998) 317

Critical behavior and phase transitions

- Influence of the Piepho-mode on charge ordering in mixed-valence biferrocenium salts. Mössbauer spectra, S. Klokishner, J. Linares and F. Varret 226 (1998) 171

Molecular self-assembly and -organization

- Self-assembly of alkylsiloxane monolayers on fused silica studied by XPS and sum frequency generation spectroscopy, A.S. Lagutchev, K.J. Song, J.Y. Huang, P.K. Yang and T.J. Chuang 226 (1998) 335

Spin splittings

- Spin-correlated radical pairs: microwave pulse effects on lifetimes, electron spin echo envelope modulations, and optimum conditions for detection by electron spin echo spectroscopy, C.R. Timmel, C.E. Fursman, A.J. Hoff and P.J. Hore 226 (1998) 269

Optical activity

- Theoretical treatment of the electronic circular dichroism spectrum and the optical rotatory power of H_2S_2 , M. Pericou-Cayere, M. Rerat and A. Dargelos 226 (1998) 295

Molecular interactions

- A mid infrared study of dynamic processes in iodine–pyridine charge transfer complexes, T. Tassaing, M. Besnard and J. Yarwood 226 (1998) 71
- Single- versus multi-state DIM model for RgX_2 systems: On the influence of spin–orbit coupling on Ar-I_2 potentials, F.Y. Naumkin 226 (1998) 317

Spectral bandshapes and intensities

- A mid infrared study of dynamic processes in iodine–pyridine charge transfer complexes, T. Tassaing, M. Besnard and J. Yarwood 226 (1998) 71

Coupling of electronic and nuclear motion

- The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg 226 (1998) 349

Energy transfer processes

- Spin-lattice relaxation and ODMR linewidth narrowing of the photoexcited triplet state of pyrene in polycrystalline Shpol'skii hosts and glassy matrices, A.E. Tringali and H.C. Brenner 226 (1998) 187

Molecular photophysical processes

- Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
- Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole, S. Santra and S.K. Dogra 226 (1998) 283
- The influence of non-adiabatic effects on the outer valence shell photoionisation dynamics of boron trifluoride, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, L. Karlsson and B. Wannberg 226 (1998) 349

Photochemistry

- Ionization spectra of XONO_2 ($X = \text{F, Cl, Br, I}$) studied by the SAC-CI method, M. Ehara, Y. Ohtsuka and H. Nakatsuji 226 (1998) 113
- Time-resolved ESR in a spin-correlated radical pair with large hyperfine coupling constant at ^{31}P . Micellar size effects and the role of flip-flop transitions, V.F. Tarasov, H. Yashiro, K. Maeda, T. Azumi and I.A. Shkrob 226 (1998) 251

Luminescence spectra, yields and lifetimes

- Effect of substituents on the spectroscopic properties of all-*trans*-1,6-diphenyl-1,3,5-hexatriene, G. Pistolis and A. Malliaris 226 (1998) 83
- Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole, S. Santra and S.K. Dogra 226 (1998) 283

Nonlinear responses (incl. optical)

- Bond-charge calculation of nonlinear optical susceptibilities of LiXO_3 type complex crystals, D. Xue and S. Zhang 226 (1998) 305

Reactions (incl. dissociation)

- Theoretical study on pyrolysis and sensitivity of energetic compounds. (3) Nitro derivatives of aminobenzenes, H.-M. Xiao, J.-F. Fan, Z.-M. Gu and H.-S. Dong 226 (1998) 15
- Theoretical study of the isotope effects in the non-adiabatic reaction of $\text{Ar}^+(J)$ with $\text{H}_2, \text{D}_2, \text{HD}$, M. Sizun and F. Aguillon 226 (1998) 47

Tunneling

- Inelastic neutron scattering study of methyl tunnelling in an oriented single-crystal of 2,6-dimethylpyrazine at low temperature and rotational-potential calculations, B. Nicolai, E. Kaiser, F. Fillaux, G.J. Kearley, A. Cousson and W. Paulus 226 (1998) 1
- The EPR spectrum of the general $>\dot{\text{C}}-\text{CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151

Electron transfer

- Influence of the Piepho-mode on charge ordering in mixed-valence biferrocenium salts. Mössbauer spectra, S. Klokishner, J. Linares and F. Varret 226 (1998) 171
- Exchange transfer in high-nuclearity mixed valence magnetic clusters: Theoretical approach and expected manifestations, J.J. Borrás-Almenar, E. Coronado, A.V. Palii, B.S. Tsukerblat and R. Georges 226 (1998) 231

Proton and hydrogen atom transfer

- Excited-state intramolecular proton transfer in 2-(2'-aminophenyl) benzimidazole, S. Santra and S.K. Dogra 226 (1998) 283

Ionization (incl. Rydberg states)

- Absolute photoabsorption cross section of CCl_4 in the energy range 6–250 eV, G.H. Ho 226 (1998) 101
- Ionization spectra of XONO_2 ($X = \text{F}, \text{Cl}, \text{Br}, \text{I}$) studied by the SAC–CI method, M. Ehara, Y. Ohtsuka and H. Nakatsuji 226 (1998) 113
- The (2 + 1) REMPI spectroscopy of jet-cooled Br_2 , R.J. Donovan, A.C. Flexen, K.P. Lawley and T. Ridley 226 (1998) 217

Isotopic effects

- The EPR spectrum of the general $\text{>}\dot{\text{C}}\text{--CX}_3$ quantum rotor, A.R. Sørnes and N.P. Benetis 226 (1998) 151